OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 1 / 9

TROLLULL PREMIUM QUALITY STEEL WOOL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TROLLULL Steel Wool

Registration number 01-2119462838-24-XXXX

 IUPAC
 Iron

 EINECS/ELINCS
 231-096-4

 CAS
 7439-89-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Steel wool

1.2.2 Uses advised against

None known.

.3 Details of the supplier of the safety data sheet

Company OSCAR WEIL GmbH

Tramplerstraße 27 - 31 77933 Lahr / GERMANY Phone +49 (0)7821-9396-0 Fax +49 (0)7821-93 96 96 Homepage www.abrazo.de E-mail info@oscarweil.de

Address enquiries to

Technical informationtrollull@trollull.co.ukSafety Data Sheetsdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

Hazard pictograms

Hazard statements none

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a substance.

Range [%]	Substance
>= 97	Iron
	CAS: 7439-89-6, EINECS/ELINCS: 231-096-4, Reg-No.: 01-2119462838-24-XXXX

Comment on component parts No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 2 / 9



SECTION 4: First aid measures

4.1 Description of first aid measures

General information none

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contactConsult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.
In the event of symptoms seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Metal fire-ex powder.

Sand.

Extinguishing media that must not

be used

Ingestion

Water.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

Avoid raising dust.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Keep away from all sources of ignition.

The product is combustible.

The product will not burn without support flame. Wash hands before breaks and after work.

Use barrier skin cream.

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 3 / 9



7.2 Conditions for safe storage, including any incompatibilities

Do not store together with food and animal food/diet.

Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance

Iron, CAS: 7439-89-6

Industrial, inhalative (dust), Long-term - local effects: 3 mg/m³.

general population, oral, Long-term - systemic effects: 0,71 mg/kg bw/day.

general population, inhalative (dust), Long-term - local effects: 1,5 mg/m3.

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses (EN 166:2001)

Hand protection 0,2mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective clothing.

OtherAvoid contact with eyes and skin.Respiratory protectionNot required under normal conditions.

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 4 / 9



SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Form solid Color grey Odor odourless not applicable **Odour threshold** pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not required Flash point [°C] not applicable Flammability (solid, gas) [°C] Burning time: not applicable

Lower explosion limit not applicable Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not applicable

Density [g/ml]

not determined Bulk density [kg/m³] Solubility in water insoluble Partition coefficient [n-octanol/water] not applicable **Viscosity** not applicable Relative vapour density determined not applicable

in air

Evaporation speed not applicable Melting point [°C] not determined Autoignition temperature [°C] not self-igniting Decomposition temperature [°C] not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids.

10.4 Conditions to avoid

none

10.5 Incompatible materials

Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 5 / 9



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation Non-corrosive / non-irritating. Skin corrosion/irritation Non-corrosive / non-irritating.

Respiratory or skin sensitisation Non-sensitizing. Specific target organ toxicity —

single exposure

No classification.

Specific target organ toxicity —

repeated exposure

No classification.

Mutagenicity There is no evidence of any mutagenic effects.

Reproduction toxicity There is no evidence of any reproductive toxicity effects.

Carcinogenicity There is no evidence of any carcinogenic effects.

Aspiration hazard No classification.

General remarks

none

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined **Biological degradability** not applicable

12.3 Bioaccumulative potential

not applicable

12.4 Mobility in soil

not determined

The product is insoluble in water.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

None known.

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 6 / 9

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be reused.

Waste no. (recommended) 150101

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicable

IMDG

Air transport in accordance with IATA not applicable

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018 Version 03. Supersedes version: 02 Page 7 / 9



14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

none

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

OSCAR WEIL GmbH

77933 Lahr

Date printed 18.01.2018, Revision 18.01.2018



Version 03. Supersedes version: 02 Page 8 / 9

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent. Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

SECTION 2 been added: Does not contain any PBT or vPvB substances.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 4 been added: In the event of symptoms seek medical treatment.

SECTION 7 been added: The product will not burn without support flame.

SECTION 7 been added: Store in a dry place.

SECTION 8 been added: Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

SECTION 8 been added: Nitrile rubber, >480 min (EN 374-1/-2/-3).

SECTION 10 been added: Reactions with acids.

SECTION 10 been added: Acids

SECTION 12 been added: The product is insoluble in water.

OSCAR WEIL GmbH

77933 Lahr



Date printed 18.01.2018, Revision 18.01.2018

Version 03. Supersedes version: 02

Page 9 / 9



Copyright: Chemiebüro®

