

**BRUSH CLEANER** 

Page: 1

Compilation date: 04/09/2012

**Revision date:** 08/01/2020

Revision No: 7

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: BRUSH CLEANER

Product code: BRUC

Synonyms: BRUSH CLEANER

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: Rustins Ltd

Waterloo Road Cricklewood London NW2 7TX

United Kingdom

Tel: +44 (0)208 450 4666

Fax: +44 (0)208 452 2008

Email: rustins@rustins.co.uk

## 1.4. Emergency telephone number

Emergency tel: .+44(0)2084504666 (Office hours only)

## **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Eye Dam. 1: H318; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT

SE 3: H335

Most important adverse effects: Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye

damage. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H318: Causes serious eye damage.H335: May cause respiratory irritation.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

GHS09: Environmental

[cont...]

**BRUSH CLEANER** 

Page: 2







Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P280: Wear eye protection and protective gloves.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call POISON CENTER/doctor.

## 2.3. Other hazards

3.2. Mixtures

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

# Hazardous ingredients:

٠,	2,4-1KIIVIE I II	ILDLINZLINL	
	EILEOO	0.4.0	

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-436-9	95-63-6	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Aquatic Chronic 2: H411	36.450%

## LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.

265-199-0	64742-95-6	-	Asp. Tox. 1: H304; Flam. Liq. 3: H226;	24.300%
			STOT SE 3: H335; Aquatic Chronic 2:	
			H411	

## NONYL PHENOL ETHOXYLATE

-	-	-	-	11.730%
---	---	---	---	---------

#### **ETHANOL**

200-578-6	64-17-5	Substance with a Community	Flam. Liq. 2: H225	6.501%
		workplace exposure limit.		

#### **BRUSH CLEANER**

Page: 3

	 _		_
XY	 _	NI	ᆫ
$\Lambda$	 _	v	

215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	6.075%
MESITYLENE			Acute 104. 4. 11012, OKIII IIII. 2. 11010	
203-604-4	108-67-8		Flam Lig 2: H226: STOT SE 2: H225: 6	6.075%
203-004-4	100-07-0	-	Flam. Liq. 3: H226; STOT SE 3: H335; Aquatic Chronic 2: H411	5.075%
METHANOL		·		
200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331;	0.271%
			Acute Tox. 3: H311; Acute Tox. 3: H301;	
			STOT SE 1: H370	

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water

to drink immediately. If unconscious and breathing is OK, place in the recovery position.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious, check for breathing and apply artificial respiration if necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. Progressive ulceration will

occur if treatment is not immediate.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be loss of consciousness. There may be vomiting. Nausea and stomach

pain may occur. Inhalation of fumes from the stomach may cause symptoms similar to

direct inhalation.

Inhalation: Drowsiness or mental confusion may occur. There may be loss of consciousness.

Breathing may stop. Nausea and stomach pain may occur.

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Do not use water. Carbon dioxide. Dry chemical powder. Alcohol resistant foam. Water fog.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Vapour may travel considerable distance to source of ignition and flash back.

#### **BRUSH CLEANER**

Page: 4

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Eliminate all sources of ignition. Mechanically ventilate the spillage area whilst avoiding the formation of explosive concentrations - see section 9 of SDS. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Refer to section 8 of SDS for personal protection details.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. Wash the ground with an appropriate self-emulsifying solvent.

#### 6.4. Reference to other sections

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden. Avoid direct

contact with the substance. Ensure there is exhaust ventilation of the area. Earth any

equipment used in handling. Use non-sparking tools.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct

sunlight. Keep away from sources of ignition. The floor of the storage room must be

impermeable to prevent the escape of liquids.

Suitable packaging: Glass. Coated steel.

## 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

## **BRUSH CLEANER**

Page: 5

## Hazardous ingredients:

#### 1,2,4-TRIMETHYLBENZENE

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL		
UK	125 mg/m3	-	-	-		
ETHANOL						
UK	1920 mg/m3	-	-	-		
XYLENE						
UK	220 mg/m3	441 mg/m3	-	-		
MESITYLEN	MESITYLENE					
UK	25 ppm	-	-	-		
METHANOL						
UK	266 mg/m3	333 mg/m3	-	-		

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is exhaust ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Nitrile gloves.

**Eye protection:** Ensure eye bath is to hand. Safety glasses with side-shields.

Skin protection: PVC apron. Protective clothing.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid Colour: Green

Odour: Paraffinic.

**Evaporation rate:** No data available.

Oxidising: No data available.

Solubility in water: Partially miscible.

Also soluble in: Most organic solvents.

Viscosity: No data available.

**Boiling point/range°C:** 160-175 **Melting point/range°C:** No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 20 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

Relative density: 0.883 @ 20 C pH: No data available.

**VOC g/I:** 883

[cont...]

**BRUSH CLEANER** 

Page: 6

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

Conditions to avoid: Heat. Flames. Sources of ignition.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## Hazardous ingredients:

## 1,2,4-TRIMETHYLBENZENE

IPR	RAT	LDLO	1752	mg/kg
ORL	RAT	LD50	5	gm/kg

## LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.

ORL         RAT         LD50         8400         mg/kg	
---	--

## **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

#### **XYLENE**

0.01	14110	. 5.50	0440	
ORL	MUS	LD50	2119	mg/kg

## **BRUSH CLEANER**

Page: 7

ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

#### **MESITYLENE**

IDD	CPC	LDLO	1303	ma/ka
IFIX	GFG	LDLO	1303	IIIg/kg

#### **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. Progressive ulceration will

occur if treatment is not immediate.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be loss of consciousness. There may be vomiting. Nausea and stomach

pain may occur. Inhalation of fumes from the stomach may cause symptoms similar to

direct inhalation.

**Inhalation:** Drowsiness or mental confusion may occur. There may be loss of consciousness.

Breathing may stop. Nausea and stomach pain may occur.

## **Section 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

## 12.4. Mobility in soil

Mobility: Volatile. Insoluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## **BRUSH CLEANER**

Page: 8

## 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1263

## 14.2. UN proper shipping name

Shipping name: PAINT

including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid

lacquer base

## 14.3. Transport hazard class(es)

Transport class: 3

## 14.4. Packing group

Packing group: |

## 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

#### 14.6. Special precautions for user

Tunnel code: D/E
Transport category: 1

#### **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Chemical safety assessment: Saftey Data Sheet complies with UK regulatory references in accordance with CHIP 3.1.

## **Section 16: Other information**

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

[cont...]

## **BRUSH CLEANER**

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.
H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H331: Toxic if inhaled. H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H370: Causes damage to organs.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. As the specific

conditions of use of the product are outside the supplier's control, the user is

responsible for ensuring that the requirements of relevant legislation are complied with.

Page: 9