

SMALL JOB WHITE PRIMER & UNDERCOAT

Page: 1

Compilation date: 13/01/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SMALL JOB WHITE PRIMER & UNDERCOAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Rustins Ltd	
	Waterloo Road	
	Cricklewood	
	London	
	NW2 7TX	
	United Kingdom	
Tel:	+44 (0)208 450 4666	
Fax:	+44 (0)208 452 2008	
Email:	rustins@rustins.co.uk	
1.4. Emergency telephone number		

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP:	Sens.: R43
Classification under CLP:	Skin Sens. 1: H317; -: EUH208
Most important adverse effects:	May cause sensitisation by skin contact.

2.2. Label elements

Label elements under CLP:

Hazard statements: EUH208: Contains texanol. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P280: Wear protective gloves.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

SMALL JOB WHITE PRIMER & UNDERCOAT

Page: 2

P302+350: IF ON SKIN: Gently wash with plenty of soap and water.

P321: Specific treatment (see instructions on this label).

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases:R43: May cause sensitisation by skin contact.Safety phrases:S2: Keep out of the reach of children.S24: Avoid contact with skin.S37: Wear suitable gloves.

S46: If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

XTAIN A

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Xn: R20	-	2.000%

TEXANOL

-	25265-77-4	Sens.: R43; -: R52/53	Aquatic Chronic 3: H412; Skin Sens.	1.000%
			1: H317	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash with warm soapy water.

Eye contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. If irritation persists seek medical attention.

Ingestion: If accidentally swallowed, wash mouth out with water. Do not induce vomiting, keep at rest and obtain medical attention.

Inhalation: If effects occur remove to fresh air and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No symptons are expected.

Eye contact: May cause irritation.

Ingestion: No specific data. Expected to be non-toxic.

Inhalation: No symptons are expected.

SMALL JOB WHITE PRIMER & UNDERCOAT

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Compatible with all standard fire-fighting techniques. Select extinguishing medium appropriate to other materials involved in and/or to the circumstances of the fire.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In a fire, hazardous decomposition products such as smoke and Carbon Monoxide may be produced.

5.3. Advice for fire-fighters

Advice for fire-fighters: Protective clothing and breathing apparatus appropriate to other materials involved in the fire. Cool closed containers exposed to fire with water spray. Do NOT allow run-off from fire fighting to enter drains or water courses.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: KEEP AWAY FROM FREEZING, minimum storage temperature 5 degrees C. Keep

container tightly closed.

Suitable packaging: Ideally, keep in original container. If transfer is necessary use glass or coated steel

containers.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

SMALL JOB WHITE PRIMER & UNDERCOAT

Page: 4

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation.

Respiratory protection: Not usually required.

Hand protection: Where repeated skin exposure may occur, wear PVC or Nitrile gloves.

Eye protection: Eye protection designed to protect against liquid splashes should be worn.

Skin protection: Protective clothing when needed.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

White and Grey
Barely perceptible odour
Moderate
Non-oxidising (by EC criteria)
Miscible
Viscous
>93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal storage and handling conditions (see Section 7).

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Extremes of temperature.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents, strong acids and alkalis.

SMALL JOB WHITE PRIMER & UNDERCOAT

10.6. Hazardous decomposition products

Haz. decomp. products: In a fire, hazardous decomposition products such as smoke and carbon monoxide may

be produced.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant effects for mixture:

Effect	Route	Basis
Sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: No symptons are expected.

Eye contact: May cause irritation.

Ingestion: No specific data. Expected to be non-toxic.

Inhalation: No symptons are expected.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: There is no data available on the product itself. Expected to biodegrade slowly.

12.3. Bioaccumulative potential

Bioaccumulative potential: There is no data available on the product itself. Not expected to bioaccumulate.

12.4. Mobility in soil

Mobility: There is no data available on the product itself.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

SMALL JOB WHITE PRIMER & UNDERCOAT

Page: 6

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>	
	H317: May cause an allergic skin reaction.	
	H412: Harmful to aquatic life with long lasting effects.	
	R20: Harmful by inhalation.	
	R43: May cause sensitisation by skin contact.	
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	
Legend to abbreviations:	PNEC = predicted no effect level	
	DNEL = derived no effect level	
	LD50 = median lethal dose	
	LC50 = median lethal concentration	
	EC50 = median effective concentration	
	IC50 = median inhibitory concentration	
	dw = dry weight	
	bw = body weight	
	cc = closed cup	
	oc = open cup	
	MUS = mouse	
	GPG = guinea pig	
	RBT = rabbit	
	HAM = hamster	
	HMN = human	
	MAM = mammal	
	PGN = pigeon	
	IVN = intravenous	
	SCU = subcutaneous	
	SKN = skin	
	DRM = dermal	
	OCC = ocular/corneal	
	PCP = phycico-chemical properties	1
		[cont]

SMALL JOB WHITE PRIMER & UNDERCOAT

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Page: 7