SAFETY DATA SHEET

HG hardwood colour renovator



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name
Product code
Product description
Product type
Other means of
identification

- : HG hardwood colour renovator
- : 292 ART
- : Cleaner.
- : Liquid.

ŝ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

HG International BV Damsluisweg 70 - NL-1332 EJ - Almere - The Netherlands Tel.: +31 (0)36 54 94 700 - Fax: +31 (0)36 54 94 744 Email: info@hg.eu - Internet: www.hg.eu

e-mail address of person : safety@hg.eu responsible for this SDS

National contact

HG Hagesan UK Ltd. Unit 2 Lanswood Park Broomfield Road Elmstead Market Colchester Essex CO7 7FD Tel.: 0044 (0)1206 822744 Fax: 0044 (0)1206 827019

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	: England and Wales NHS Direct: 0845 4647
	Scotland NHS 24: 08454 24 24 24
	Republic of Ireland 01 809 2166
Supplier	
Telephone number	: +31 (0)36 54 94 777
Hours of operation	: Mo-Fr 9.00-17.00
Information limitations	: Only for medical personnel.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319

Aquatic Acute 1, H400

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification

: Xi; R36/38

Human health hazards : Irritating to eyes and skin.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word		Warning
Hazard statements	-	Causes serious eye irritation. Causes skin irritation. Very toxic to aquatic life.
Precautionary statements		
General	1	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Prevention	:	Wear protective gloves and eye protection.
Response	-	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable
Disposal	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	1	sodium hypochlorite solution CI active
Supplemental label elements	:	Warning! Do not use together with other products. May release dangerous gases (chlorine).
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	t <u>s</u>
Containers to be fitted with child-resistant fastenings	-	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards Other hazards which do not result in classification	:	None known.

SECTION 3: Composition/information on ingredients

N 41 1

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
sodium hypochlorite solution CI active	REACH #: 01-2119488154-34 EC: 231-668-3 CAS: 7681-52-9 Index: 017-011-00-1	>=1 - <5	C; R34 R31 N; R50	Skin Corr. 1B, H314 Aquatic Acute 1, H400	[1]
sodium hydroxide	REACH #: 01-2119457892-27 EC: 215-185-5 CAS: 1310-73-2 Index: 011-002-00-6	>=0,5 - <2	C; R35	Skin Corr. 1A, H314	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

. . .

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid m	easures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention if adverse health effects persist or are severe.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health eff	ects		
Eye contact	: Causes serious eye irritation.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Causes skin irritation.		
Ingestion : Irritating to mouth, throat and stomach.			
Over-exposure signs/symptoms			

	HG bardwood colour repovator
	HG hardwood colour renovator
SECTION 4: First aid me	asures
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any immedia	te medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefighting	measures
5.1 Extinguishing media	
Suitable extinguishing media	: Not applicable
Unsuitable extinguishing media	: Not applicable
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, prot	teo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

SECTION 6: Accidental release measures

6.3 Methods and materials for containment and cleaning up			
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.		
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.		

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Seveso II Directive - Reporting thresholds (in tonnes)

Danger criteria

	Notification and MAPP threshold	Safety report threshold
E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1	100	200

7.3 Specific end use(s)

Recommendations: Not available.Industrial sector specific: Not available.solutions: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

	Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
--	-----------------------------------	--

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ures</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Recommended: Safety glasses.
Skin protection		
Hand protection	:	Hand protection: The glove material must be impermeable and resistant to the product/the substance/ the preparation. Select the glove material taking account of the penetration times, the degrees of permeability and the degrading.
		Glove material The choice of a suitable glove depends on the material, but also on other quality characteristics and differs from manufacturer to manufacturer. As the product consists of several substances, the durability of the glove materials cannot be calculated in advance and therefore requires testing before use. Always ask advice from the glove manufacturer. Dirty gloves must be replaced. Personal hygiene is an essential precondition to good hand care. Only put on gloves when your hands are clean. Wash and dry your hands carefully after wearing gloves.
		Permeation time of the glove material You can ask the glove manufacturer for the exact penetration time; take this into account. If product may come into contact with hands, assuming a long contact of maximum 15 minutes, gloves of the following materials offer adequate protection according to DIN EN 374. * butyl rubber (thickness > 0.5 mm) * nitrile rubber (thickness > 0.35 mm) * polychloroprene rubber (thickness > 0.4 mm) * natural rubber (thickness > 0.5 mm)
Date of issue/Date of revision		: 1-9-2015. Date of previous issue : 11-8-2015. Version : 2 6/12

SECTION 8: Exposure controls/personal protection

For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with a preference for a breakthrough time of more than 480 minutes.

	Protection against splashes For short contact or splash protection, use the same gloves as for long contact. A shorter breakthrough time may be acceptable provided the gloves are replaced in time. Recommended: Latex gloves. or Nitrile gloves.	
Body protection	Not applicable	
Other skin protection	Not applicable	
Respiratory protection	Not applicable	
Thermal hazards	Not applicable	
Environmental exposure controls	Not applicable	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	ar	nd chemical properties
<u>Appearance</u>		
Physical state	1	Liquid.
Colour	:	Yellow. [Light]
Odour	1	Chlorine
Odour threshold	1	Not applicable.
рН	1	13 to 13,5 [Conc. (% w/w): 100%]
Melting point/freezing point	:	O°C
Initial boiling point and boiling range	:	100°C
Flash point	1	[Product does not sustain combustion.]
Evaporation rate	:	Not available.
Flammability (solid, gas)	1	Not available.
Burning time	1	Not applicable.
Burning rate	1	Not applicable.
Upper/lower flammability or explosive limits	1	Not available.
Vapour pressure	1	Not available.
Vapour density	1	Not available.
Relative density	1	1,089
Solubility(ies)	1	Easily soluble in the following materials: hot water. Soluble in the following materials: cold water.
Solubility in water	1	Not available.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not applicable.
Viscosity	1	Not available.
Explosive properties	1	Not available.
Oxidising properties	1	Not available.

9.2 Other information

No additional information.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

HG hardwood colour renovator		
SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: Reactive or incompatible with the following materials: acids	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects <u>Acute toxicity</u> Conclusion/Summary : Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observat	ion
sodium hypochlorite solution Cl active	Eyes - Mild irritant	Rabbit	-	1.31 milligrams	-	
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-	
sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1 Percent	-	
	Eyes - Mild irritant	Rabbit	-	400 Micrograms	-	
	Eyes - Severe irritant	Rabbit	-	24 hours 50 Micrograms	-	
	Eyes - Severe irritant	Rabbit	-	1 Percent	-	
	Eyes - Severe irritant	Rabbit	-	24 hours 1 milligrams	-	
	Eyes - Severe irritant	Rabbit	-	0,5 minutes 1 milligrams	-	
	Skin - Mild irritant	Human	-	24 hours 2 Percent	-	
	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-	
Conclusion/Summary	: Not available.					
<u>Sensitisation</u>						
Conclusion/Summary	: Not available.					
<u>Mutagenicity</u>						
Conclusion/Summary	: Not available.					
Carcinogenicity						
Conclusion/Summary	: Not available.					
Reproductive toxicity						
Conclusion/Summary	: Not available.					
Teratogenicity						
Conclusion/Summary	: Not available.					
Specific target organ toxicity	<u>/ (single exposure)</u>					
Not available.						
Specific target organ toxicity	<u>/ (repeated exposure)</u>					
Not available.						
Aspiration hazard						
Not available.						
ate of issue/Date of revision	: 1-9-2015. Date of pre	vious issue	• 1	1-8-2015. Versio	n · 2	8/12

SECTION 11: Toxicological information

Information on the likely routes of exposure	÷	Not available.
Potential acute health effects		
Eye contact	:	Causes serious eye irritation.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	1	Causes skin irritation.
Ingestion	÷	Irritating to mouth, throat and stomach.
Symptoms related to the phys	sic	al, chemical and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	;	No specific data.
Delayed and immediate effect	S	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	1	Not available.
<u>Long term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe	ct	<u>8</u>
Not available.		

Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

Product/ingredient name	Result	Species	Exposure
sodium hypochlorite solution Cl active	Acute EC50 46000 µg/l Marine water	Algae - Gracilaria tenuistipitata	4 days
	Acute LC50 56400 µg/l Marine water	Crustaceans - Palaemonetes pugio	48 hours
	Chronic NOEC 10000 µg/l Marine water	Algae - Gracilaria tenuistipitata	4 days
	Chronic NOEC 0,1 ppm Fresh water	Fish - Cyprinus carpio - Young	30 days
sodium hydroxide	Acute EC50 40,38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

SECTION 12: Ecological information

Conclusion/Summary : Read

: Readily biodegradable

12.2 Persistence and degradability

Conclusion/Summary	: Readily biodegradable		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
HG hardwood colour renovator	-	-	Readily

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT a	nd vPvB assessment
PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA	
14.1 UN number	UN1760	UN1760	UN1760	UN1760	
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Sodium hypochlorite solution Cl active, solution)				
Date of issue/Date of re	vision : 1-9-2015.	Date of previous issue	: 11-8-2015.	Version : 2 10/12	

HG hardwood colour renovator							
SECTION 14: Transport information							
14.3 Transport hazard class(es)	8	8	8	8			
14.4 Packing group	Ш	111	111	Ш			
14.5 Environmental hazards	No.	No.	No.	No.			
Additional information	Hazard identification number 80 Limited quantity 5 L Tunnel code (E)	-	<u>Emergency</u> <u>schedules (EmS)</u> F-A, S-B	-			

14.6 Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

: Not available.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation Substances of very high concern None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other EU regulations** : Not determined. **Europe inventory Priority List Chemicals** : Listed (793/93/EEC) **Seveso II Directive** This product is controlled under the Seveso II Directive. Danger criteria Category E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1 Contains (Regulation (EC) : anionic surfactants, chlorine-based bleaching agents

No 648/2004)

15.2 Chemical Safety : This product contains substances for which Chemical Safety Assessments are still Assessment required.

Date of issue/Date of revision

<5%

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	:	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration
		RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Expert judgment
Eye Irrit. 2, H319	Expert judgment
Aquatic Acute 1, H400	Expert judgment

Full text of abbreviated H statements	 H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. 		
Full text of classifications [CLP/GHS]	: Aquatic Acute 1, H400 Eye Irrit. 2, H319ACUTE AQUATIC HAZARD - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2Skin Corr. 1A, H314 Skin Corr. 1B, H314 		
Full text of abbreviated R phrases	: R34- Causes burns. R35- Causes severe burns. R36/38- Irritating to eyes and skin. R31- Contact with acids liberates toxic gas. R50- Very toxic to aquatic organisms.		
Full text of classifications [DSD/DPD]	: C - Corrosive Xi - Irritant N - Dangerous for the environment		
Date of printing	: 2-9-2015.		
Date of issue/ Date of revision	: 1-9-2015.		
Date of previous issue	: 11-8-2015.		
Version	: 2		
Notice to sector			

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.