

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER



Safety Data Sheet dated 16/9/2014, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name:

INSECTO PRO FORMULA INSECT FOGGER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Insecticide - Biocidal use

Uses advised against:

Do not use for purposes other than those stated in "Recommended uses"

1.3. Details of the supplier of the safety data sheet

Company:

Lodi Group - Parc d'Activités des Quatre Routes

35390 Grand Fougeray - France Tel 0033 (0) 2.99.08.48.59

Competent person responsible for the safety data sheet:

regulatory@lodi.fr

1.4. Emergency telephone number

NPIS (National Poison Centre) - Birmingham Unit

[To be called by medical staff or physicians]

City Hospital, Birmingham, B18 7QH, UK

Tel: 0844 892 011

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

F Highly flammable


N Dangerous for the environment


R Phrases:


R11 Highly flammable.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

EC regulation criteria 1272/2008 (CLP)

 Warning, Flam. Aerosol 2, Flammable aerosol.

 Warning, Aquatic Acute 1, Very toxic to aquatic life.

 Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:



Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

Warning

Hazard statements:

H223 Flammable aerosol.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P251 Pressurized container: Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

AEROSOL Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

PRUDAEROSOL2 Flammable aerosol. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of reach of children.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.


3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

<10% propan-2-ol; isopropyl alcohol; isopropanol

Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7

F,Xi; R11-36-67

 2.6/2 Flam. Liq. 2 H225


 3.3/2 Eye Irrit. 2 H319

 3.8/3 STOT SE 3 H336

<10% HYDROCARBONS C9-C10 N-ALKANESISOALKANES, CYCLICS

REACH No.: 01-2119471843-32, EC: 927-241-2

Xn; R10-52/53-65-66-67

 2.6/3 Flam. Liq. 3 H226

 3.8/3 STOT SE 3 H336

 3.10/1 Asp. Tox. 1 H304

4.1/C3 Aquatic Chronic 3 H412

0.33 % Cyphenothrin


CAS: 39515-40-7, EC: 254-484-5


Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

Xn,N; R22-50/53

 3.1/4/Oral Acute Tox. 4 H302

 4.1/A1 Aquatic Acute 1 H400

 4.1/C1 Aquatic Chronic 1 H410


0.11 % reaction mass of:

[2,4-dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1R)-cis-chrysanthemate;


[2,4-dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1R)-trans-chrysanthemate

Index number: 613-259-00-5, CAS: 72963-72-5, EC: 428-790-6

Xn,N; R22-50/53

 4.1/A1 Aquatic Acute 1 H400

 4.1/C1 Aquatic Chronic 1 H410

 3.1/4/Oral Acute Tox. 4 H302

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

Seek medical attention if ill effect or irritation develops

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Seek medical attention if ill effect or irritation develops

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Rinse mouth

Do not induce vomiting.

Immediately consult a physician and show the label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Assure fresh air breathing

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Consult a physician and show the label

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use:

- Water
- Carbon dioxide (CO₂)
- Foam, alcohol resistant foam

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

- Dry powder

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Rapidly recover the product. To do so, wear a mask and protective clothing.

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Always keep the containers tightly closed.

Always keep in a well ventilated place.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

TLV TWA - 200 ppm, A4 - 491,53 mg/m³, A4

TLV STEL - 400 ppm, A4 - 983,07 mg/m³, A4

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

Protection for hands:

Nitrile gloves

Respiratory protection:

When ventilation is insufficient, wear appropriate respiratory apparatus

Thermal Hazards:

Keep away from heat and direct sunlight.

Keep away from sources of ignition - No Smoking.

Keep away from sources of ignition, heat and direct sunlight

Environmental exposure controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: Pressurized liquid

Odour: Characteristic

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Flash point: 12 ° C

Evaporation rate: N.A.

Vapour pressure: N.A.

Relative density: N.A.

Solubility in water: N.A.

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

9.2. Other information

Miscibility: N.A.

Fat Solubility: N.A.

Conductivity: N.A.

Substance Groups relevant properties N.A.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

INSECTO PRO FORMULA INSECT FOGGER

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat : > 4951 mg/Kg - Source: Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Test: LC50 - Route: Inhalation - Species: Rat : > 46 mg/L - Duration: 4h - Source: propan-2-ol

Test: LD50 - Route: oral - Species: Rat : > 4700 mg/Kg - Source: propan-2-ol

Toxicological information of the main substances found in the mixture:

Cyphenothrin - CAS: 39515-40-7

a) acute toxicity:

Test: LD50 - Route: oral - Species: Rat : = 318 mg/Kg - Source: males

Test: LD50 - Route: oral - Species: Rat : = 319 mg/Kg - Source: females

Test: LC50 - Route: Inhalation - Species: Rat : > 1.85 mg/L

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Cyphenothrin - CAS: 39515-40-7

a) Aquatic acute toxicity:

Endpoint: LC50 Fish = 0.00034 mg/L - Duration h: 96

Endpoint: LC50 Daphnia = 0.00043 mg/L - Duration h: 48

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

ADR-UN number: 1950

14.2. UN proper shipping name

ADR-Shipping Name: UN1950 AEROSOLS, 2.1, 5F, (D)

14.3. Transport hazard class(es)

ADR-Class: 2
ADR-Label: 2.1 - 9
IATA-Class: 2

14.4. Packing group

ADR-Packing Group: F
IATA-Packing group: F

14.5. Environmental hazards

14.6. Special precautions for user

ADR-Tunnel Restriction Code: D
Rail (RID): Classe 2, Groupe F
IATA-Passenger Aircraft: 203
IATA-Cargo Aircraft: 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Dir. 2006/8/EC
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP)
Regulation (EU) n. 453/2010 (Annex I)
Regulation (EU) n. 286/2011 (ATP 2 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restriction 3
Restriction 40

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R10 Flammable.

R11 Highly flammable.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of
Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical
Society).

CLP: Classification, Labeling, Packaging.

CSR: Chemical safety report

DNEL: Derived No Effect Level.

EC50:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Safety Data Sheet

INSECTO PRO FORMULA INSECT FOGGER

	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
N.A.:	Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
UN:	United Nations
WGK:	German Water Hazard Class.